HON'BLE MR. A. ATCHUTHAN : (a) Yes.

(b) Preliminary detailed investigalion and estimating.

Electric Power for Lift Irrigation.

261. MR. P. KUNJUKRISHNAN (*Quilon II—General*): Will the Honourable Minister for Electricity be pleased to state whether they have any scheme to start lift irrigation in Ithicara, Chathannoor and other adjoining areas, in view of the proximity of electric supply and in view of the peculiar conditions necessitating lift irrigation in those areas ?

HON'BLE MR. K. M. KORAH: Yes.

അരിവില.

263. MR. MOHAMMED MUSTAFA : താഴെ പറയുന്ന ചോദ്യങ്ങൾക്ക് ബഹുമാനപ്പെട്ട പ്രധാനമന്ത്രി സദയം മറുപടി നൽകുമോ ?

(എ) അരിവില ചില പ്രത്യേക വ്യവസ്ഥകളിന്മേൽ വീണ്ടും വർദ്ധിപ്പിച്ചിട്ടുണ്ടോ? ഉണ്ടെങ്കിൽ എന്താണ് ആ വ്യവസ്ഥകൾ?

(ബി) മുസ്ലിം പള്ളികൾക്കു റംസാൻ പ്രമാണിച്ചു വിതരണം ചെയ്തുവരുന്ന അരിക്ക് ചാക്കൊന്നിന് ഗവണ്മെൻറ് എത്ര വിലയാണ് ഈടാക്കുന്നത് ?

HON'BLE MR. K. M. KORAH : (എ) സ്ഥാപനങ്ങൾക്ക് കൊടുക്കുന്നതും പ്രത്യേക ആവശ്യങ്ങൾക്കും വിശേഷങ്ങൾക്കും കൊടുക്കുന്നതുമായ അരിയുടെ വില ഫെബ്രുവരി മുതൽ ഗവണ്മെൻറ് ഗോഡൌണിൽനിന്നും വാങ്ങിക്കുന്നതായ നൂറിനാഴിയുടെ ചാക്കൊന്നിന് നാല്പത്തേഴ് രൂപയായി ക്രിപ്പപ്പെടുത്തിയിട്ടുണ്ട്.

(ബി) ഇതേവിലതന്നെ.

MR. MOHAMMED MUSTAFA : ഈ വില ക്രിപ്പപ്പെടുത്തിയിരിക്കുന്നത് സിവിൽസപ്ലൈസ് കമ്മീഷണരാണോ ഗവണ്മെൻറാണോ?

HON'BLE MR. K. M. KORAH : ഗവണ്മെൻറ്.

MR. K. A. MATHEW : സ്ഥാപനങ്ങൾ എന്നു പറയുന്നത് ഏതെല്ലാമാണ്?

LIBRARY ARCHIVES Kerala Legislative Assembly